

DAIKO

Osaka, Japan

Thermocouple Wire

Data Sheet

(JIS Standard)



DAIKO THERMOCOUPLE WIRE











OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-EX-G 7/0.3X1PAIR	DAIKO JIS T/C EXT. WIRE PVC/ FOIL SCR/PVC ROUND SHAPE WITH DRIAN WIRE (VIOLET)	EXT/JIS	Ø4.5
TC-CA-G-0.32X1 PAIR(JIS)	DAIKO JIS 'K' T/C WIRE, PVC/PVC ROUND (BLUE)	JIS	Ø3
TC-WCA-G 4/0.32X1PAIR	DAIKO 'K' T/C WIRE, PVC/PVC (BLUE) ROUND SHAPE	EXT/JIS	Ø4
TC-WCA-G 4/0.65X1PAIR	DAIKO 'K' T/C WIRE, FLAT PVC/PVC (BLUE)	EXT/JIS	6.5 4.5
TC-WCA-G 7/0.30X1PAIR	DAIKO 'K' T/C WIRE, FLAT PVC/PVC (BLUE) FLAT	EXT/JIS	4.1 2.5
TC-WCA-G 7/0.65X1PAIR	DAIKO 'K' T/C WIRE, FLAT PVC/PVC (BLUE)	EXT/JIS	7.8 5
TC-WCA-G-IS 4/0.65 X1PAIR	DAIKO 'K' T/C WIRE, FLAT PVC/SCR/ PVC (BLUE)	EXT/JIS	6.6 4.8
TC-WCA-G-IS 7/0.65 X1PAIR	DAIKO 'K' T/C WIRE, FLAT PVC/SCR/ PVC (BLUE)	EXT/JIS	8.5 5.4
TC-EXD-KH 0.65	DAIKO/OKAZAKI 'K' FLAT T/C WIRE, PVC/PVC (0.65)	TC/JIS	3.98 2.69
TC-EXD-KH 0.32	DAIKO/OKAZAKI 'K' FLAT T/C WIRES, PVC/PVC (0.32)	TC/JIS	3.1 2.1



DAIKO THERMOCOUPLE WIRE





















OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-KX-G 0.32 X 1PAIR	DAIKO JIS 'K' T/C WIRE ROUND PVC/PVC (BLUE)	JIS	
TC-WIC-G 4/0.65X1PAIR	DAIKO 'J' T/C WIRE, FLAT PVC/PVC (YELLOW)	EXT/JIS	
TC-WIC-G 7/0.32X1PAIR	DAIKO 'J' T/C WIRE, FLAT PVC/PVC (YELLOW)	EXT/JIS	
TC-WIC-G 7/0.65X1PAIR	DAIKO 'J' T/C WIRE, FLAT PVC/PVC (YELLOW)	EXT/JIS	
TC-WIC-G-IS 4/0.65X1PAIR	DAIKO 'J' T/C WIRE, FLAT PVC/SCR/ PVC (YELLOW)	EXT/JIS	
TC-WIC-G-IS 7/0.65X1PAIR	DAIKO 'J' T/C WIRE, FLAT PVC/SCR/ PVC (YELLOW)	EXT/JIS	
TC-WPR-G (DIN 43714)	DAIKO 'R/S' T/C WIRE, FLAT PVC/PVC (WHITE), RED (+) & WHITE (-)	EXT/DIN	
TC-WPR-G 4/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FLAT PVC/PVC (BLACK)	EXT/JIS	
TC-WPR-G 7/0.32X1PAIR	DAIKO 'R/S' T/C WIRE, FLAT PVC/PVC (BLACK)	EXT/JIS	
TC-WPR-G 7/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FLAT PVC/PVC (BLACK)	EXT/JIS	



DAIKO THERMOCOUPLE WIRE











OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-WPR-G-IS 4/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FLAT PVC/SCR/PVC (BLACK)	EXT/JIS	 
EXD-T 0.3	DAIKO/OKAZAKI 'T' FLAT T/C WIRE, PVC/PVC (0.3)	TC/JIS	 
TC-EXD- T 0.65	DAIKO/OKAZAKI 'T' FLAT T/C WIRE, PVC/PVC TYPE 'T'	TC/JIS	 
TC-WX-6FGB-J2=FFR	DAIKO 'K' T/C EXT. WIRE 7X0.3X1P (ROUND) FEP/FEP (BLUE)	EXT/JIS	 
TC-CA-T 1/0.65	DAIKO JIS T/C WIRE, 'K' FLAT FEP/FEP INSULATION (BLUE)	TC/JIS	 
TC-KX-F 0.10 X 1 PAIR	DAIKO JIS 'K' T/C WIRE FEP/FEP FLAT (BLUE)	TC/JIS	 
TC-KX-F 0.20 X 1 PAIR	DAIKO JIS 'K' T/C WIRE FEP/FEP FLAT (BLUE)	TC/JIS	 
TC-KX-F 0.32X1PAIR(JIS)	DAIKO JIS 'K' T/C WIRE, FLAT FEP/FEP FLAT (BLUE)	TC/JIS	 
TC-CA-FEP/FEP- 0.32X1PAIR(JIS)	DAIKO JIS T/C WIRE 'K', FEP/FEP FLAT (BLUE)	TC/JIS	 
TC-IC-FEP 1/0.65	DAIKO JIS T/C WIRE 'J' FEP/FEP (YELLOW)FLAT, CONDUCTOR: SOLID STRAND	TC/JIS	 



DAIKO THERMOCOUPLE WIRE

OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-JX-0.3/7X2-FEP	DAIKO T/C WIRE, 'J' 7/0.3 X 1P (YELLOW) ROUND FEP/FEP	EXT/JIS	
TC-WX-0.3/7X2-SR-J2-KTT	DAIKO T/C WIRE, 'K' 7/0.3 X 1P (BLUE) ROUND SILICON/SILICON	EXT/JIS	
JX-0.3/7x2-SR-J2-KTT	DAIKO T/C EXT. WIRE, 'J' (ROUND) SIL/SIL	EXT/JIS	
TC-JX-0.3/7X2-SR-J2-KTT	DAIKO T/C WIRE, 'J' 7/0.3 X 1P ROUND WIRE SILICON/SILICON (YELLOW, JIS)	EXT/JIS	
TC-BX-H 4/0.65X1PAIR	DAIKO JIS T/C EXT. WIRE, 'BX' FG/FG (GREY)	EXT/JIS	
TC-CA-H 0.32X1PAIR(B/TRACER)	DAIKO JIS T/C WIRE 'K' FG/FG OUTER SHEATH (WHITE WITH BLUE TRACER)	TC/JIS	
TC-CA-H 0.65X1PAIR(B/TRACER)	DAIKO JIS T/C WIRE 'K' FG/FG OUTER SHEATH (WHITE WITH BLUE TRACER)	TC/JIS	
TC-K-H 1PAIRX0.65	DAIKO JIS T/C WIRE 'K' FG/FG OUTER SHEATH (WHITE WITH BLUE TRACER)	TC/JIS	
TC-WCA-H- 4/0.32X1PAIR	DAIKO 'K' T/C WIRE, 'K' FG/FG (BLUE)	EXT/JIS	
TC-WCA-H 4/0.65X1PAIR	DAIKO 'K' T/C WIRE, 'K' FG/FG (BLUE)	EXT/JIS	



DAIKO THERMOCOUPLE WIRE

OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-WCA-H 4/0.65X2PAIR	DAIKO 'K' T/C WIRE, 'K' FG/FG (BLUE) 4 CORE, ROUND WIRE	EXT/JIS	 Ø5.7
TC-WCA-H 7/0.32X1PAIR	DAIKO 'K' T/C WIRE, 'K' FG/FG (BLUE)	EXT/JIS	 3 1.8
TC-WCA-H 7/0.65X1PAIR	DAIKO 'K' T/C WIRE, 'K' FG/FG (BLUE)	EXT/JIS	 4.9 3
TC-0.1x1P KH	DAIKO T/C WIRES, FG/FG 'K' WHITE WITH BULE/TRACER	TC/JIS	 1.1 0.75
TC-0.2x1P KH	DAIKO T/C WIRES, FG/FG 'K' WHITE WITH BULE/TRACER	TC/JIS	 1.3 0.75
TC-0.32x1P K-H	DAIKO T/C WIRES, FG/FG 'K' WHITE WITH BULE/TRACER	TC/JIS	 2.1 1.4
TC-0.32x1P K-Hm	DAIKO T/C WIRES, FG/FG 'K' WHITE WITH BULE/TRACER	TC/JIS	 2 1.4
TC-WIC-H 4/0.65X1PAIR	DAIKO 'J' T/C WIRE, FG/FG SHEATH (YELLOW)	EXT/JIS	 3.5 2.5
TC-WIC-H 7/0.32X1PAIR	DAIKO 'J' T/C WIRE, FG/FG SHEATH (YELLOW)	EXT/JIS	 3.6 2.2
TC-WIC-H 7/0.65X1PAIR	DAIKO 'J' T/C WIRE, FG/FG SHEATH (YELLOW)	EXT/JIS	 5.5 3.3



DAIKO THERMOCOUPLE WIRE

OSAKA, JAPAN


Stock Code	Description	Type	Sample
TC-IC-H 0.32X1P (YELLOW TRACER)	DAIKO JIS T/C WIRES 'J' FG/FG (WHITE W/YELLOW TRACER)	TC/JIS	
TC-WPR-H 4/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG (BLACK)	EXT/JIS	
TC-WPR-H 7/0.32X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG (BLACK)	EXT/JIS	
TC-WPR-H 7/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG (BLACK)	EXT/JIS	
TC-WCA-G-SOS 4/0.65 X 1PAIR	DAIKO 'K' T/C WIRE PVC/PVC/SUS OUTER BRAID (SILVER)	JIS	
TC-WCA-G-SOS 7/0.3 X 1PAIR	DAIKO 'K' T/C WIRE PVC/PVC/SUS OUTER BRAID (SILVER)	JIS	
TC-WCA-G-SOS 7/0.65 X 1PAIR	DAIKO 'K' T/C WIRE PVC/PVC/SUS OUTER BRAID (SILVER)	JIS	
TC-WX-6FGB-J2-SOS=FFR	DAIKO T/C WIRE 7/0.3 X 1P ROUND TEF/TEF WITH OUTER SUS BRAIDING OUTER DIA: 4.3MMØ	EXT/JIS	
TC-BX-H-SOS 4/0.65X1PAIR	DAIKO JIS T/C EXT. WIRE FG/FG/SOS (SILVER)	EXT/JIS	
TC-0.65KXH-GAB	DAIKO JIS T/C WIRE 'K' FG SSOB 0.65X1PAIR (RED & BLACK)	TC/JIS	
TC-0.65KXH-GSB	DAIKO JIS T/C WIRE 'K' FG TINNED OVER BRAID	TC/JIS	



DAIKO THERMOCOUPLE WIRE

OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-CA-H-SOS 1.0X1PAIR	DAIKO JIS T/C WIRE 'K' FG SSOB 1.0X1PAIR	TC/JIS	
TC-CA-H-SOS 4/0.32X1PAIR	DAIKO JIS TC WIRE 'K' FG SSOB	TC/JIS	
TC-CA-H-SOS 4/0.32X2PAIRS	DAIKO JIS T/C WIRE 'K' FG SSOB INNER SHEATH: 2 WHITE & 2 WHITE W/RED TRACER	TC/JIS	
TC-K-0.2X7 (SOS) JIS	DAIKO JIS 'K' T/C WIRE, FG SSOB FLAT PARALLEL WITH BLUE TRACER	JIS	
TC-K-0.27X7 (SOS) JIS ROUND	DAIKO JIS 'K' T/C WIRE, FG SSOB ROUND WITH BLUE TRACER	JIS	
TC-WCA-H-SOS 4/0.65X1PAIR	DAIKO 'K' T/C WIRE, FG/FG OUTER SUS BRAIDED (SILVER)	EXT/JIS	
TC-WCA-H-SOS 7/0.32X1PAIR	DAIKO 'K' T/C WIRE, FG/FG OUTER SUS BRAIDED (SILVER)	EXT/JIS	
TC-WCA-H-SOS 7/0.65X1PAIR	DAIKO 'K' T/C WIRE, FG/FG OUTER SUS BRAIDED	EXT/JIS	
TC-WCA-H-SUS* 4/0.65	DAIKO 'K' T/C WIRE, FG/SUS BRAIDED, *SINGLE INSULATION*	EXT/JIS	
TC-K-FG/FG/FG(BLUE)/SOS-1X0.65	DAIKO JIS 'K' T/C WIRE, FG/FG/FG(BLUE) OUTER JACKET: SUS BRAIDED	JIS	
TC-IC-H-SOS 0.65X1PAIR	DAIKO JIS T/C WIRE 'J' FG SSOB WITH YELLOW TRACER	TC/JIS	



DAIKO THERMOCOUPLE WIRE

OSAKA, JAPAN

Stock Code	Description	Type	Sample
TC-IC-H-SOS 4/0.32X1PAIR	DAIKO JIS T/C WIRE 'J' FG /SSOB (SILVER)	TC/JIS	
TC-IC-H-SOS 4/0.32X2PAIR	DAIKO JIS T/C WIRE 'J' FG /SSOB (SILVER) 4 CORE	TC/JIS	
TC-J-0.2X7 (SOS) JIS FLAT	DAIKO JIS T/C WIRE 'J' FG/SSOB FLAT PARALLEL PAIR WITH YELLOW TRACER	TC/JIS	
TC-J-0.2X7 (SOS) JIS ROUND	DAIKO JIS T/C WIRE 'J' FG/SSOB ROUND WITH YELLOW TRACER	TC/JIS	
TC-WIC-H-SOS 7/0.32X1PAIR	DAIKO 'J' T/C WIRE, FG/FG OUTER SUS BRAIDED (SILVER)	EXT/JIS	
TC-WIC-H-SOS 7/0.65X1PAIR	DAIKO 'J' T/C WIRE, FG/FG OUTER SUS BRAIDED	EXT/JIS	
TC-WIC-H-SOS 4/0.65 X 1 PAIR	DAIKO 'J' T/C WIRE FG/FG OUTER SUS BRAIDED	EXT/JIS	
TC-WPR-H-SOS 4/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG SUS OUTER BRAIDED (SILVER)	EXT/JIS	
TC-WPR-H-SOS 7/0.32X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG SUS OUTER BRAIDED (SILVER)	EXT/JIS	
TC-WPR-H-SOS 7/0.65X1PAIR	DAIKO 'R/S' T/C WIRE, FG/FG SUS OUTER BRAIDED (SILVER)	EXT/JIS	
TC-R-0.65KH2C2-GG-AB	DAIKO T/C WIRE FG/FG/ WITH SUS BRAIDING TYPE 'K' (ROUND SCREEN)	EXT/JIS	

